Epoxy.com

Dunnellon, FL 34431 Phone 352-489-1666

Material Safety Data Sheet

OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

IDENTITY: Epoxy.com PRODUCT #260 "A" Component

SECTION I

Epoxy Systems, Inc. **Emergency Number: 1-800-633-8253 PERS** Manufacturer:

Address: 20774 West Pennsylvania Ave Telephone Number: 1-352-489-1666

> Dunnellon, FL 34431 Date Prepared: 12/2008

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components CAS# **OSHA PEL ACHIH TLV Hazard**

Limits %

Diglycidyl Ether of Bisphenol F 28064-14-4 N/E

N/E Diglycidyl Ether of Cyclohexane Dimethanol 14228-73-0 N/E N/E

SECTION III - PHYSICAL/CHEMICAL

CHARACTERISTICS

Boiling Point: Specific Gravity (H₂0 =1): 1.5 @ 25° N/A **Melting Point:** Vapor Pressure (mm Hg.): N/A N/A Vapor Density (AIR = 1): N/D **Evaporation Rate:** Negligible

Solubility in Water: (Butyl Acetate = 1) Insoluble

Appearance and Odor: Blue Viscous Liquid, Sweet Odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): >100° C (closed cup) Flammable Limits: LEL N/A **UEL**

Extinguishing Media: Foam, CO₂, dry chemical, water spray

Special Fire Fighting Procedures: Full emergency equipment with self-contained breathing apparatus and full

protective clothing should be worn by firefighters. No skin should be exposed.

Unusual Fire and Explosion Hazards: Decomposition 7 Combustion products may be hazardous.

SECTION V - REACTIVITY DATA

Stability: Stable Conditions to Avoid: N/A

Incompatibility: Strong oxidizing agents, Acids, Bases

Hazardous Decomposition or Byproducts: Carbon Monoxide & Irritating Toxic Fumes

Hazardous Polymerization: Will Not Occur Conditions to Avoid: None known

(OVER)

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? Yes Skin? Yes Ingestion? Yes

Health Hazards (*Acute and Chronic*): Skin: Dermal irritation. Eyes: Eye irritation. Ingestion: Gastrointestinal Irritation. Inhalation: Respiratory irritation.

Carcinogenicity: NTP? Not Listed IARC Monographs? Not Listed OSHA Regulated? Not regulated

Signs and Symptoms of Exposure: Skin: Reddening, swelling, rash, blistering, scaling. Ingestion: Dizziness, weakness. Inhalation: Burning in nose and throat, chest pain. Eyes: Pain, tearing, reddening, swelling.

Medical Conditions Generally Aggravated by Exposure: Skin & eye conditions

Emergency and First Aid Procedures: Skin: Immediately remove with clean cloth, wash with soap & water. If irritation persists, get medical attention. Ingestion: DO NOT INDUCE VOMITING. Drink lots of water & consult physician. Inhalation: If symptoms occur move to fresh air & consult physician immediately. Eyes: Flush with clean water for 15mins. Consult physician if irritation persists.

<u>SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE</u> Steps to Be Taken in Case Material Is Released or Spilled: Absorb with inert material e.g. earth sand. Sweep into lable d containers. Flush are a with detergent & water.

Waste Disposal Method: Dispose of in accordance with Federal, State, and Local regulations.

Precautions to Be Taken in Handling and Storing: Store in tightly closed containers in cool, dry place. Avoid high temperatures & ignition sources.

Other Precautions: Do not eat, drink or smoke when using.

SECTION VIII - CONTROL MEASURES Respiratory Protection: Not required in

normal use. NIOSH respirator if spraying

Ventilation: Mechanical (General)

Local Exhaust – When suitable natural ventilation is not available, use local especially when spraying.

Protective Gloves: Butyl rubber Gloves Eye Protection: Safety Glasses

Other Protective Clothing or Equipment: Cover as much skin as possible. Do not wear contact lenses when handling.

Work/Hygienic Practices: Follow practices of good industrial hygiene. Wash clothes before reuse.

Epoxy.com

Dunnellon, FL 34431 Phone 352-489-1666

Material Safety Data Sheet

OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

IDENTITY: Epoxy.com PRODUCT #260 "B" Component

SECTION I

Manufacturer: Epoxy Systems, Inc. Emergency Number: 1-800-633-8253 PERS

Address: 20774 West Pennsylvania Ave Telephone Number: 1-352-489-1666

Dunnellon, FL 34431 Date Prepared: 12/2008

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	CAS#	OSHA PEL ACHIH TLV Hazard Limits	
Alkyl Amines	25620-58-0	N/E	N/E
Alkyl Amines	107-15-3	100 ppm	N/E
Benzyl Alcohol	100-51-6	N/E	N/E
Amine Epoxy		N/E	N/E
Adduct 001-5719			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N/A Specific Gravity (H₂0 =1): 1.5 @ 25°,

Vapor Pressure (mm Hg.): N/A
Vapor Density (AIR = 1): N/A

Welting Point: N/A

Evaporation Rate: Negligible

Solubility in Water: Partially solualbe (Butyl Acetate = 1)

Appearance and Odor: Tan liquid, aromatic odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): >100°F (Closed Cup) Flammable Limits: LELN/A UEL N/A

Extinguishing Media: Foam, dry chemical, water spray, carbon dioxide

Constitution of the state of th

Special Fire Fighting Procedures: Full emergency equipment with self-contained breathing apparatus & full

protective clothing should be worn by firefighters. No skin should be exposed.

Unusual Fire and Explosion Hazards: Decomposition & combustion products may be hazardous.

SECTION V - REACTIVITY DATA

Stability: Stable Conditions to Avoid: N/A

Incompatibility: Srong oxidizing agents, acids, bases

Hazardous Decomposition or Byproducts: Carbon monoxide & Irritating Toxic Fumes

Hazardous Polymerization: Will Not Occur Conditions to Avoid: None known

(OVER)

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? Yes Skin? Yes Ingestion? Yes

Health Hazards (*Acute and Chronic*): Skin: Dermal irritation Eyes: Eye irritation Ingestion: Gastrointestinal irritation. Inhalation: Respiratory irritation.

Carcinogenicity: NTP? Not Listed IARC Monographs? Not Listed OSHA Regulated? Not regulated

Signs and Symptoms of Exposure: Skin: Reddening, swelling, rash, blistering, scaling. Ingestion: Dizziness, weekness. Inhalation: Burning in nose & throat, chest pain. Eyes: Pain, tearing, reddening, swelling.

Medical Conditions Generally Aggravated by Exposure: Skin and eye conditions.

Emergency and First Aid Procedures: Skin: Immediately remove with clean cloth, wash with soap & water. If irritation persists, get medical attention. Ingestion: DO NOT INDUCE VOMITING. Drink lots of water & consult physician. Inhalation: If symptoms occur move to fresh air and consult physician immediately. Eyes: Flush with clean water for 15 mins. Consult physician if irritation persists.

<u>SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE</u> Steps to Be Taken in Case Material Is Released or Spilled: Take up with inert material e.g. earth or sand. Sweep into la beled containers. Flush area with detergent & water.

Waste Disposal Method: Dispose of in accordance with Federal, State and Local regulations.

Precautions to Be Taken in Handling and Storing: Store in tightly closed containers in cool, dry place. Avoid high temperatures & ignition sources.

Other Precautions: Do not eat, drink or smoke when using.

SECTION VIII - CONTROL MEASURES Respiratory Protection: Not required in

normal use. NIOSH respirator if spraying.

Ventilation: Mechanical (General) Ventilation needed where vapors are present.

Local exhaust: When suitable natural ventilation is not available, use local especially when spraying.

Protective Gloves: Butyl rubber gloves Eye Protection: Safety Glasses

Other Protective Clothing or Equipment: Cover as much skin as possible. Do not wear contact lenses when handling.

Work/Hygienic Practices: Follow practices of good industrial hygiene.